


EVOLT

CONNECT EVOLT360 MACHINE TO BROTHER PRINTER

Below would be the steps to help configure your Evolt360 machine with a Brother Printer

1. Touch the Evolt logo on the top left corner of the screen and you will be presented with the control panel screen.



EVOLT

The screenshot shows the EVOLT Control Panel interface. At the top left is the EVOLT logo, and at the top center is the title 'Control Panel'. The main area is divided into several sections:

- System Status:** A grid of status indicators for Scale API, Network API, Printer API, Device ID, Printer, Registered Countries, Scale Configuration, and Scale Status. All are marked as 'Connected' or 'Ready'.
- Teamviewer Information:** Details including ID (1645096846), Version (15.40.8 (DEB)), Status (running), Hostname (74FE48352558), Date/Time (2023/07/06 12:18:29), Timezone (Australia/Brisbane), Kiosk Software Version (KP2305240938), and Firmware Version (EV360.AP.1.0.19 &BCA-CE3F/V5.26.G[] &VNBCA-360/V0.20.[]).
- Kiosk Mode:** UNATTENDED, Location: Evolt HQ, Location Type: OWNER, Operator: pete@evoltactive.com, Print Template: VERSION_3A.
- Offline Status:** Offline (290816 bytes), Offline Members (9/9 (100%)), Offline Scans (15/15 (100%)).

Below the status sections are several large buttons: a green 'OPERATOR PANEL' button, a red 'START SCANNING' button, and a row of five grey buttons: 'SCALE', 'PRINTERS', 'NETWORK', 'SYSTEM', and 'REFRESH'. At the bottom are 'Software Update' and 'Restart Teamviewer' buttons, and a footer with 'Shutdown', 'Logout', 'Evolt HQ : pete@evoltactive.com', and 'Privacy Policy / Terms'.

2. On the control panel, select the "Printers" button and you will be presented with the printer screen menu. Then select the blue 'Add Printer' button on the left section of the screen.

This screenshot is identical to the one above, but with a red rectangular box highlighting the 'PRINTERS' button in the row of navigation buttons. The rest of the interface, including the status sections and other buttons, remains the same.

Printers

Add Printer

Printer Name	Description	Location	Make and Model	Default	Status
Brother_HL-L2350DW_series	Brother HL-L2350DW series		Brother HL-L2300D, using brlaser v4	Default	Idle
Brother_HL_L2350DW_series	Brother_HL_L2350DW_series		HL-L2350DW series		Idle
Brother_HL_L2350DW_series_f889d2fa1db_	Brother_HL_L2350DW_series_f889d2fa1db_		Local Raw Printer		Idle
Brother_MFC_L3750CDW_series	Brother_MFC_L3750CDW_series		MFC-L3750CDW series		Idle
Brother_MFC_L3750CDW_series_b422007b56fe_	Brother_MFC_L3750CDW_series_b422007b56fe_		MFC-L3750CDW series		Idle

3. You will then be presented with a list of printers on the screen. Note that your Brother Printer name will appear in the local printers section just as shown the in below picture. Select the radio button located before the printer name and select the 'continue' button. On the following screen, select the 'continue' button again and wait for 5 seconds.

Add Printer

Add Printer

- Local Printers:**
- HP Printer (HPLIP)
 - CUPS-BRF (Virtual Braille BRF Printer)
 - Serial Port #1
 - Serial Port #2
 - Brother HL-L2350DW series (Brother HL-L2350DW series)
 - HP Fax (HPLIP)
- Discovered Network Printers:**
- Brother HL-L2350DW series (Brother HL-L2350DW series)
 - Brother MFC-L3750CDW series (Brother MFC-L3750CDW series)
 - Brother MFC-L3750CDW series (b422007b56fe) (Brother MFC-L3750CDW series)
 - Brother MFC-L3750CDW series (driverless) (Brother MFC-L3750CDW series)
 - Brother HL-L2350DW series (driverless) (Brother HL-L2350DW series)
 - Brother MFC-L3750CDW series (driverless) (Brother MFC-L3750CDW series)
- Other Network Printers:**
- LPD/LPR Host or Printer
 - Backend Error Handler
 - AppSocket/HP JetDirect
 - Internet Printing Protocol (https)
 - Internet Printing Protocol (ipp)
 - Internet Printing Protocol (http)
 - Internet Printing Protocol (ippes)
 - Windows Printer via SAMBA

Continue

Back to EVOLT CONTROL PANEL Show All Printers

Add Printer

Add Printer

Name:
(May contain any printable characters except "\", "'", and space)

Description:
(Human-readable description such as "HP LaserJet with Duplexer")

Location:
(Human-readable location such as "Lab 1")

Connection:

Sharing: Share This Printer

4. You will then be presented with the below screen showing you different printer drivers. The Brother Printer provided supports the printer driver as highlighted in the below picture, that is, 'Brother HL-L2300D using brlaser v4 (en)'. The easy way to find this driver is to scroll down through the list to locate the first printer of the series 'MC' and you will see the desired printer driver just above it in the list. Once selected the printer driver Brother HL-L2300D using brlaser v4 (en), select the 'add printer' button.

Back to EVOLT CONTROL PANEL Show All Printers

Add Printer

Add Printer

Name:

Description:

Location:


Connection:

Sharing: Do Not Share This Printer


Make: Select Another Make/Manufacturer

Model:
Brother DCP-1200 - CUPS+Gutenprint v5.2.13 (en)
Brother DCP-1200 Foomatic/i1250 (recommended) (en)
Brother DCP-1200 Foomatic/let2p (en)
Brother DCP-1510 series, using brlaser v4 (en)
Brother DCP-7010 Foomatic/i1250 (recommended) (en)
Brother DCP-7010 Foomatic/4dith (en)
Brother DCP-7010 Foomatic/let4 (en)
Brother DCP-7010 Foomatic/let4d (en)
Brother DCP-7020 Foomatic/i1250 (recommended) (en)

Or Provide a PPD File: No file chosen



5. You will then be presented with the below screen. select the "Set Default Options" button and the screen will then present you with a message. Wait for the message to disappear.



Set Printer Options

Set Default Options for Brother_HL-L2350DW_series

Printer Brother_HL-L2350DW_series default options have been set successfully.

6. You will then be presented with the below screen. You will then need to select the green button on the far right corner of the screen that says "Set As Server Default" to set this printer as your default printer for the machine. You will then be presented with a message for confirmation. After this, you will be presented with the same screen as below.



Back to EVOLT CONTROL PANEL Show All Printers

Brother_HL-L2350DW_series

Brother_HL-L2350DW_series (Idle, Accepting Jobs, Not Shared, Server Default)

Print Test Page Pause Printer Reject Jobs Move All Jobs Cancel All Jobs Modify Printer Delete Printer Set Default Options **Set As Server Default**

Description: Brother HL-L2350DW series
Location:
Driver: Brother HL-L2300D, using brlaser v4 (grayscale, 2-sided printing)
Connection: usb://Brother/HL-L2350DW%20series?serial=E78328A2N633193
Defaults: job-sheets=none, none media=iso_a4_210x297mm sides=one-sided

Jobs

Show Completed Jobs Show All Jobs

Jobs listed in print order; held jobs appear first.

Back to EVOLT CONTROL PANEL Show All Printers

Brother_HL-L2350DW_series

Brother_HL-L2350DW_series (Idle, Accepting Jobs, Not Shared, Server Default)

Print Test Page Pause Printer Reject Jobs Move All Jobs Cancel All Jobs Modify Printer Delete Printer Set Default Options **Set As Server Default**

Description: Brother HL-L2350DW series
Location:
Driver: Brother HL-L2300D, using brlaser v4 (grayscale, 2-sided printing)
Connection: usb://Brother/HL-L2350DW%20series?serial=E78328A2N633193
Defaults: job-sheets=none, none media=iso_a4_210x297mm sides=one-sided

Jobs

Show Completed Jobs Show All Jobs

Jobs listed in print order; held jobs appear first.

Set As Server Default

Set Printer Brother_HL-L2350DW_series As Default

Printer [Brother_HL-L2350DW_series](#) has been made the default printer on the server.

Note: Any user default that has been set via the `lpoptions` command will override this default setting.

[Back to EVOLT CONTROL PANEL](#) [Show All Printers](#)

Brother_HL-L2350DW_series

Brother_HL-L2350DW_series (Idle, Accepting Jobs, Not Shared, Server Default)

[Print Test Page](#) [Pause Printer](#) [Reject Jobs](#) [Move All Jobs](#) [Cancel All Jobs](#) [Modify Printer](#) [Delete Printer](#) [Set Default Options](#) [Set As Server Default](#)

Description: Brother HL-L2350DW series

Location:

Driver: Brother HL-L2300D, using brlaser v4 (grayscale, 2-sided printing)

Connection: usb://Brother/HL-L2350DW%20series?serial=E78328A2N633193

Defaults: job-sheets=none, none media=iso_a4_210x297mm sides=one-sided

Jobs

[Show Completed Jobs](#) [Show All Jobs](#)

Jobs listed in print order; held jobs appear first.

EVOLT

7. Once done, select the blue button on the top left of the screen that says 'Back to Evolt Control Panel' and you will be presented with the control panel screen or the main scanning screen. In case you are presented with the control panel screen, simply select the red 'start scanning' button to return to the scanning screen.

Back to EVOLT CONTROL PANEL Show All Printers

Brother_HL-L2350DW_series

Brother_HL-L2350DW_series (Idle, Accepting Jobs, Not Shared, Server Default)

Print Test Page Pause Printer Reject Jobs Move All Jobs Cancel All Jobs Modify Printer Delete Printer Set Default Options Set As Server Default

Description: Brother HL-L2350DW series

Location:

Driver: Brother HL-L2300D, using brlaser v4 (grayscale, 2-sided printing)

Connection: usb://Brother/HL-L2350DW%20series?serial=E78328A2N633193

Defaults: job-sheets=none, none media=iso_a4_210x297mm sides=one-sided

Jobs

Show Completed Jobs Show All Jobs

Jobs listed in print order; held jobs appear first.

EVOLT Control Panel

Scale API Status	Connected	Teamviewer ID	1845098846
Network API Status	Connected	Teamviewer Version	15.40.8 (DEB)
Printer API Status	Connected	Teamviewer Status	running
Device ID	74:FE:48:35:25:58	Hostname	74FE48352558
Printer	Brother_HL-L2350DW_series	Date/Time	2023/07/08 12:21:35
Registered Countries	Ready	Timezone	Australia/Brisbane
Scale Configuration	Ready	Kiosk Software Version	KP230524-0938
Scale Status	Ready	Firmware Version	EV360.AP.1.0.19 & BCA-CE3F/V5.26.G 8VNBCA-360/V0.20.I

Kiosk Mode	UNATTENDED	Offline	290816 bytes
Location	Evolt HQ	Offline Members	9/9 (100%)
Location Type	OWNER	Offline Scans	15/15 (100%)
Operator	pate@evoltactive.com		
Print Template	VERSION_3A		

OPERATOR PANEL START SCANNING

SCALE PRINTERS NETWORK SYSTEM REFRESH

Software Update Restart Teamviewer

Shutdown Logout

Evolt HQ | pate@evoltactive.com Privacy Policy / Terms

EVOLT

The image shows a digital interface for the EVOLT application. At the top left, the 'EVOLT' logo is displayed in a white, italicized font. The background is dark, and a central 3D model of a human figure is shown with glowing cyan highlights on the chest, shoulders, and arms. Below the figure are four main interactive elements: a cyan button on the left labeled 'SIGN UP AND SCAN', a cyan button on the right labeled 'LOGIN AND SCAN', a language selection menu on the bottom left titled 'ENGLISH' with 'Change Language' and flags for the UK, USA, and Australia, and a registration prompt on the bottom right titled 'REGISTER ON THE EVOLT ACTIVE APP HERE' with a QR code. At the very bottom, there is a small footer with the email 'Evolt HQ : pete@evoltactive.com' and links for 'Privacy Policy' and 'Terms'.

-----END-----